

security labs®

SURVEILLANCE QUICK REFERENCE CATALOG

Download full product cut sheets and catalog at www.security-labs.com

DUAL STREAM H.264 Pentaplex 3G DVRs with MyDVR View™ **NEW**

SLD264 4 CH Pentaplex Dual Stream 3G DVR



- MyDVR View™ Connect via any internet browser enabled device, email notification
- 500 GB HD & 330 point video motion
- Up to 2 TB internal expansion
- External SATA port, flash port
- PTZ camera mouse control
- Backup via USB or network
- One audio input
- Automatic recovery after a power outage
- Includes mouse & remote control
- 4, 8, or 16 Channel - all operate & program in the same manner

NEW



SLD265 8 CH Pentaplex Dual Stream 3G DVR

- MyDVR View™ Connect via any internet browser enabled device, email notification
- 500 GB HD & 330 point video motion
- Up to 2 TB internal expansion
- External SATA port, flash port
- PTZ camera mouse control
- Backup via USB or network
- Four audio inputs
- Automatic recovery after a power outage
- Includes mouse & remote control



NEW

SLD266 16 CH Pentaplex Dual Stream 3G DVR

- MyDVR View™ Connect via any internet browser enabled device, email notification
- 500 GB HD & 330 point video motion
- Up to 3 TB internal expansion
- External SATA port, flash port
- PTZ camera mouse control
- Backup via USB or network
- Four audio inputs
- Automatic recovery after a power outage
- Includes mouse & remote control



NEW

Dual Codec Internet DVRs

SLD261 4 Channel Triplex Dual Codec DVR

- View over internet via web browser
- 500 GB HD & video motion detection
- Additional HD bay for expansion
- PTZ camera mouse control
- Backup via USB or network
- One audio input
- Automatic recovery after a power outage
- Includes mouse & remote control



Internet Viewing

SLD262 8 Channel Triplex Dual Codec DVR

- View over internet via web browser
- 500 GB HD & video motion detection
- Additional HD bay for expansion
- PTZ camera mouse control
- Backup via USB or network
- One audio input
- Automatic recovery after a power outage
- Includes mouse & remote control



Internet Viewing

SLD284 4 CH Triplex Dual Codec DVR w/ DVD Archive



- Software included for viewing over internet & LAN
- 500 GB SATA HD, expansion bay; unlimited HD size
- Up to 240 ips global record rate
- Archive video to DVD drive, flash port, or network
- Four audio inputs
- PTZ control, PIP, & video motion detection
- Includes mouse & remote control

Internet Viewing

SLD285 8 CH Triplex Dual Codec DVR w/ DVD Archive



- Software included for viewing over internet & LAN
- 500 GB SATA HD, expansion bay; unlimited HD size
- Up to 480 ips global record rate
- Archive video to DVD drive, flash port, or network
- Four audio inputs
- PTZ control, PIP, & video motion detection
- Includes mouse & remote control

Internet Viewing

SLD286 16 CH Triplex Dual Codec DVR w/ DVD Archive



- Software included for viewing over internet & LAN
- 500 GB SATA HD, expansion bay; unlimited HD size
- Up to 480 ips global record rate
- Archive video to DVD drive, flash port, or network
- Four audio inputs
- PTZ control, PIP, & video motion detection
- Includes mouse & remote control

Internet Viewing



Setup assistance while you watch **SLRC™** Security Labs Remote Configuration

Security Labs technicians can assist & get you up and running. Using our SLRC™ remote software, we can connect to your system and help you finish setup on your DVR & network. This is a free service and requires your approval for us to connect.



Toll Free technical assistance at 1-800-774-0284

DVR Hard Drive Storage Information:

All Security Labs DVRs include Seagate® SV35 Series type hard disk drives created specifically for the surveillance industry, incorporating unique features that provide a better solution than drives intended for other uses. SV35 Series type hard drives are designed to save power and space, run 24/7, provide an average useful life >1,000,000 hours, and improve reliability in digital surveillance solutions. A four year warranty is included on the HDD at no additional charge.

15540 Herriman Blvd. Noblesville IN 46060 • Customer Support 1-800-774-0284

Surveillance Systems & DVRs

SLM426C 14" Color Quad Observation System

- 14" color monitor w/ built in quad processor
- (2) SLC-152C weatherproof IR bullet cameras
- (2) SLC-1049C color dome cameras
- Video motion detection alarm w/ output
- PIP, alarm input/outputs



SLM423 Surveillance System w/ DVR & 4 Cams

- (1) SLD261 Four CH DVR w/ Internet & 500 GB HD
- (4) SLC-3130 color weatherproof IR bullet cameras
- (4) SLC-100 dummy dome cameras
- (2) surveillance system warning decals
- (5) 50' video-power cables, power supplies, & mounting hardware



Internet Viewing

SLM433 4 CH Pentaplex 3G DVR & 4 Cameras

NEW

- MyDVR View™ Connect via any internet browser enabled device, email notification
- 500 GB HD & 330 point video motion
- Up to 2 TB internal expansion + flash port
- PTZ camera mouse control
- Backup via USB or network
- (4) SLC-3130 weatherproof IR CCD bullet cameras with wide angle view
- Includes mouse & remote control, (4) 50' video power cables, mounts, and hardware

Perfect starter system



SLM434 8 CH Pentaplex 3G DVR & 8 Cams

NEW

- MyDVR View™ Connect via any internet browser enabled device, email notification
- 500 GB HD & 330 point video motion
- Up to 2 TB internal expansion + flash port
- PTZ camera mouse control
- Backup via USB or network
- (8) SLC-3130 weatherproof IR CCD bullet cameras with wide angle view
- Includes mouse & remote control, (8) 50' video power cables, mounts, and hardware



NEW SLM435 16 CH Pentaplex 3G DVR & 16 Cams

- MyDVR View™ Connect via any internet browser enabled device, email notification
- 500 GB HD & 330 point video motion
- Up to 3 TB internal expansion + flash port
- PTZ camera mouse control
- Backup via USB or network
- (16) SLC-3130 weatherproof IR CCD bullet cameras with wide angle view
- Includes mouse & remote control, (16) 50' video power cables, mounts, and hardware



NEW SLM436 8 CH Pentaplex 3G DVR & 8 Cams

- MyDVR View™ Connect via any internet browser enabled device, email notification
- 500 GB HD & 330 point video motion
- Up to 2 TB internal expansion + flash port
- PTZ camera mouse control
- Backup via USB or network
- (4) SLC-3130 weatherproof IR color CCD bullet cams + (4) SLC-1049 color dome cams
- Includes mouse & remote control, (8) 50' video power cables, mounts, and hardware



NEW SLM437 16 CH Pentaplex 3G DVR & 16 Cams

- MyDVR View™ Connect via any internet browser enabled device, email notification
- 500 GB HD & 330 point video motion
- Up to 3 TB internal expansion + flash port
- PTZ camera mouse control
- Backup via USB or network
- (8) SLC-3130 weatherproof IR color CCD bullet cams + (8) SLC-1049 color dome cams
- Includes mouse & remote control, (16) 50' video power cables, mounts, and hardware



SLD245 4 CH DVR w/ Motion Detection & Internet Viewing

- View from any PC via web browser
- Half chassis space saving design: 8"W
- 500 GB HD & video motion detection
- Search video by time, event, or camera
- Automatic recovery after a power outage
- Includes software for viewing video on a PC via USB cable



Internet Viewing

*SLD244: Same DVR as above without Internet connection

SLD251 4 CH DVR w/ Internet

- Multiplexed four channel DVR
- 160 GB removable HD
- Video motion detection & (4) compression settings
- 720 x 480 full screen playback
- Internet remote viewing w/ IE browser
- CF card slot for video & image transfer



Internet Viewing

SLM429 Surveillance System w/ DVR

- Half size (8") 4 CH DVR is an easy fit in cramped installations
- View cameras from any web browser
- (1) SLD245 Four CH DVR w/ Internet & 500 GB HD
- (2) SLC-3130 color weatherproof IR bullet cameras
- (2) SLC-1049C color dome cameras
- (2) SLC-100 dummy dome cameras
- (2) surveillance system warning decals
- (5) 50' video-power cables, power supplies, & mounting hardware



Internet Viewing

security labs®

Customer Support
1-800-774-0284

Professional PTZ Dome Cameras

SLC-170C 22X Optical Zoom Dome Camera

- 22X optical zoom Super HAD camera
- Pan-tilt speed: 12°/second
- Pan range: 0-359°
- Automatic heater-blower
- 7" dome diameter
- Control PTZ with a DVR
- Includes **both** a ceiling and wall bracket, 100' CAT 5 cable, & video baluns



SLC-171C 22X Optical Speed Dome Camera

- 22X optical zoom Super HAD camera
- Speed: Pan: 120°/sec; Tilt: 90°/sec
- 360° continuous pan
- Automatic heater-blower
- 100 prog. positions w/ 8 scout groups
- 7" dome diameter
- Control PTZ with a DVR
- Includes **both** a ceiling and wall bracket, 100' CAT 5 cable, & video baluns



CCTV Cameras

SLC-141 Hi-Res Color Vandal Dome Camera

- 540 lines, .02 LUX, 1/3" CCD
- 3.6mm wide angle lens
- Vandal resistant case
- 3 axis adjustable mount
- 2.75"H x 3.75"D
- Includes installation kit: 50' cable, power supply, mount, & mounting hardware



SLC-3130 Weatherproof 12 IR Bullet Cam

- 420 lines, .001 LUX, 1/4" color CCD
- 3.6mm wide angle lens
- (12) IR LEDs for night viewing
- Auto electronic iris
- 2" Diameter x 4"L
- Includes installation kit: 50' cable, power supply, mount, & mounting hardware



SLC-137C Color Waterproof IR Camera

- 330 lines, .003 LUX, 1/3" Super HAD CCD
- 3.6mm wide angle lens
- Auto electronic iris & 8 IR LED emitters
- Watertight case to 90' under water
- 1.5" Diameter x 2" L
- Includes installation kit: 65' cable, power supply, mount, & mounting hardware



SLC-100 Simulated Dome Camera

- Exclusive opaque high gloss design eliminates viewing into empty dome
- Simulates the appearance of real security cameras
- 3.5" (D) x 2" (H)
- Includes mounting hardware



SLC-130S BW Outdoor Bullet Camera

- 360 lines, .4 LUX, 1/3" CCD
- 3.6mm wide angle lens
- Small profile - easily concealed
- Auto electronic iris w/ AGC
- Wall or ceiling mount
- 1" Diameter x 3"L
- Includes installation kit: 50' cable, power supply, mount, & mounting hardware



SLC-154C Professional Weatherproof 24 IR Hi-Res Bullet Cam

- 540 lines, .002 LUX, 1/4" color CCD
- 3.6mm wide angle lens
- (24) IR LEDs for night viewing
- Micron Pitch CCD
- Halo deflector dual glass
- Auto electronic iris
- 2" Diameter x 4"L
- Includes installation kit: 50' cable, power supply, mount, & mounting hardware



SLC-160C 22X Optical Zoom Camera

- 420 lines, .02 to 1 LUX, 1/3" Super HAD CCD
- Optical zoom lens from 4mm to 86mm (22X)
- Control manually or by RS-485 (DVR)
- Auto electronic iris
- Day night function for low light
- 2.5"H x 2.5"W x 3.5"D
- Includes 50' CAT 5 cable, (2) video baluns, & power supply



SLC-1049C Color Dome Camera

- 380 lines, .2 LUX, 1/3" Super HAD CCD
- 3.6mm wide angle lens
- 3 axis Adjustable pan & tilt
- Compact - only 3.5 D x 2.5" H
- Auto electronic iris
- Includes installation kit: 50' cable, power supply, mount, & mounting hardware



SLC-128 BW Miniature CMOS Camera

- 380 lines, 1 LUX, 1/3" CMOS
- 3.6mm wide angle lens
- Auto electronic iris
- Ultra compact - only 1" x .5" x 1"
- Includes installation kit: 50' cable, power supply, mount, & mounting hardware



SLC-129 BW Miniature CMOS Camera

- 380 lines, 1 LUX, 1/3" CMOS
- 5mm pinhole wide angle lens
- Can operate on a 9V battery
- Auto electronic iris
- Pinhole lens will view through a 3/32" hole
- Ultra compact - only 1" x .5" x .5"
- Includes installation kit: 50' cable, power supply, mount, & mounting hardware



SLC-1025 BW Board Camera

- 420 lines, .3 LUX, 1/3" CCD
- 3.6mm pinhole wide angle lens
- Automatic electronic iris
- View through 3/32" hole
- 1"H x 1"W
- Includes installation kit: 50' cable, power supply, mount, & mounting hardware



All **security labs** CCTV cameras include an **installation kit**. Kit includes: Video/power cable, regulated power supply, adjustable camera mount, & mounting hardware.

Check local laws regarding audio/video recording & surveillance.

security labs®

Customer Support
1-800-774-0284

Covert Cameras

SLC-1037C Color Clock Camera

- 330 lines, .5 LUX, 1/4" Super HAD CCD
- 3.7mm wide angle lens
- 9" diameter office clock
- Quartz movement w/ second hand
- Extremely covert, even at close range

* BW version: **SLC-1037**



SLC-1035C Color Covert Camera

- 330 lines, .5 LUX, 1/4" Super HAD CCD
- 3.7mm wide angle lens
- Views at 45 degree angle from ceiling
- Working smoke detector case

* BW version: **SLC-1035**



Accessories

VIR50 Video Motion Detector

- Use your existing camera & PIR
- PIR & VMD must agree for alarm output
- Programmable VMD grid
- Programmable sensitivity and velocity
- PIR IN, video IN, alarm OUT
- Technology Award Winner - NPS International Security Conf - Las Vegas



SLA30 RCA to DIN Adapter

- For use with 6 pin DIN cable inputs on Security Labs observation monitors (SLM424B)
- Adapter allows connection of RCA video and audio from a non-DIN style camera



SLA16 12VDC Power Supply

- High efficiency switch mode regulated 12VDC supply
- Rated at 500mA
- 2.1mm power plug



SLA40 UTP Video Balun

Best Seller

- Send & receive video up to 1000'
- Passive operation - no power supply
- Common mode rejection of 70dB
- UTP categories 2, 3, 4, 5, 5e
- Kit includes balun, adapter, extension



SLA22 DIN Cable Coupler

- For use with 6 pin DIN cables
- Coupler is female-female for connecting two male end cables

Accessory Camera Lenses

- SLL160: 8mm lens for SLC-110 camera
- SLL165: 12mm lens for SLC-110 camera
- SLL170: 8mm lens for SLC-115, SLC-120 cameras
- SLL175: 12mm lens for SLC-115, SLC-120 cameras



PIR46

- Mini Passive Infrared Motion Detector
- Uses 12VDC
- Great for critical space installations
- Alarm out connect to DVR or device



Camera Extension Cables

- SLA13: 328' DIN extension cable with coupler.
- SLA23: Black 50' RCA video, audio, & power ext. cable w/ coupler
- SLA24: Black 50' RCA video & power ext. cable w/ coupler
- SLA31: Black 50' BNC video & power ext. cable w/ coupler
- SLA32: Black 100' BNC video & power ext. cable w/ coupler
- SLA41: Black 50' BNC video, audio & power ext. cable w/ coupler
- SLA42: Black 100' BNC video, audio & power ext. cable w/ coupler



www.security-labs.com

Downloads available:

- Manuals
- Software
- Cut Sheets
- Catalogs

- Full one year parts & labor warranty on all products. Hard Drives: 4 years
- Lifetime Toll-free customer support line for installers & end users

security labs®

Customer Support
1-800-774-0284