

security labs®

SURVEILLANCE QUICK REFERENCE CATALOG

Download full product cut sheets and catalog at www.security-labs.com

Dual Codec DVRs = High speed internet viewing + high quality local recording

SLD261 4 CH Triplex Dual Codec DVR

- View over internet via web browser
- 250GB HD & video motion detection
- Additional HD bay for expansion
- PTZ camera mouse control
- Backup via USB or network
- One audio input
- Automatic recovery after a power outage
- Includes mouse & remote control

Internet Viewing



SLD262 8 CH Triplex Dual Codec DVR

- View over internet via web browser
- 250GB HD & video motion detection
- Additional HD bay for expansion
- PTZ camera mouse control
- Backup via USB or network
- One audio input
- Automatic recovery after a power outage
- Includes mouse & remote control

Internet Viewing



SLD263 16 CH Triplex Dual Codec DVR

- View over internet via web browser
- 250GB HD & video motion detection
- Additional HD bay for expansion
- PTZ camera mouse control
- Backup via USB or network
- Four audio inputs
- Automatic recovery after a power outage
- Includes mouse & remote control

Internet Viewing



SLD284 4 CH Triplex Dual Codec DVR w/ DVD Archive

- Software included for viewing over internet & LAN
- 250 GB SATA HD, expansion bay; unlimited HD size
- Up to 240 ips global record rate
- Archive video to DVD drive, flash port, or network
- Four audio inputs
- PTZ control, PIP, & video motion detection
- Includes mouse & remote control

Internet Viewing



SLD285 8 CH Triplex Dual Codec DVR w/ DVD Archive

- Software included for viewing over internet & LAN
- 250 GB SATA HD, expansion bay; unlimited HD size
- Up to 480 ips global record rate
- Archive video to DVD drive, flash port, or network
- Four audio inputs
- PTZ control, PIP, & video motion detection
- Includes mouse & remote control

Internet Viewing



SLD286 16 CH Triplex Dual Codec DVR w/ DVD Archive

- Software included for viewing over internet & LAN
- 250 GB SATA HD, expansion bay; unlimited HD size
- Up to 480 ips global record rate
- Archive video to DVD drive, flash port, or network
- Four audio inputs
- PTZ control, PIP, & video motion detection
- Includes mouse & remote control

Internet Viewing



SLD287 8 CH Triplex Dual Codec DVR w/ 17" LCD Monitor

- Software included for viewing over internet & LAN
- 250 GB SATA HD, expansion bay; unlimited HD size
- Up to 480 ips global record rate
- Archive video to flash port or network
- Four audio inputs
- PTZ control, PIP, & video motion detection
- Includes mouse & remote control



Toll Free technical assistance at 1-800-774-0284

Would like some assistance in setting up your DVR or network?

Security Labs technicians can remotely assist & get you up and running. Using our SLRC remote software, we can connect to your system and help you finish setup on your DVR & network. This is a free service and requires your approval for us to connect.



SLD245 4 CH DVR w/ Motion Detection & Internet Viewing

- View from any PC via web browser
- Half chassis space saving design: 8"VW
- 250 GB HD & video motion detection
- Search video by time, event, or camera
- Automatic recovery after a power outage
- Includes software for viewing video on a PC via USB cable

Internet Viewing




SLC-170C 22X Optical Zoom Dome Camera

- 22X optical zoom Super HAD camera
- Pan-tilt speed: 12°/second
- Pan range: 0-359°
- Automatic heater-blower
- 7" dome diameter
- Control PTZ with a DVR
- Includes both a ceiling and wall bracket



SLC-171C 22X Optical Speed Dome Camera

- 22X optical zoom Super HAD camera
- Speed: Pan: 120°/sec; Tilt: 90°/sec
- 360° continuous pan
- Automatic heater-blower
- 100 prog. positions w/ 8 scout groups
- 7" dome diameter
- Control PTZ with a DVR
- Includes both a ceiling and wall bracket



DVR Hard Drive Storage Information:

All Security Labs DVRs include Seagate® SV35 Series type hard disk drives created specifically for the surveillance industry, incorporating unique features that provide a better solution than drives intended for other uses. SV35 Series" type hard drives are designed to save power and space, run 24/7, provide an average useful life >1,000,000 hours, and improve reliability in digital surveillance solutions. A four year warranty is included on the HDD at no additional charge.

15540 Herriman Blvd. Noblesville IN 46060 • Customer Support 1-800-774-0284

SLD251 4 CH Digital Video Recorder w/ LAN



Internet Viewing

- Multiplexed four channel DVR
- 160 GB removable HD
- Video motion detection
- Four compression settings - up to 3000 H record time
- 720 x 480 full screen playback
- Internet remote viewing w/ IE browser
- CF card slot for video & image transfer

SLM426C 14" Color Quad Observation System



- 14" color monitor w/ built in quad processor
- (2) SLC-152C weatherproof IR bullet cameras
- (2) SLC-149C color dome cams
- Video motion detection alarm w/ output
- PIP, alarm input/outputs

SLM423 Surveillance System w/ DVR



Internet Viewing

- (1) SLD261 Four CH DVR w/ Internet
- (4) SLC-3130 color weatherproof IR bullet cameras
- (4) SLC-100 dummy dome cameras
- (2) surveillance system warning decals
- (5) 50' video-power cables, power supplies, & mounting hardware

SLM431 Surveillance System w/ DVR



Internet Viewing

- (1) SLD263 16 CH DVR w/ Internet & 250 GB HD
- (8) SLC-3130 color weatherproof IR bullet cameras
- (4) SLC-100 dummy dome cameras
- (2) surveillance system warning decals
- (5) 50' video-power cables, power supplies, & mounting hardware

SLM428C 14" Observation System w/ DVR

Internet Viewing



- (1) SLD251 Four CH DVR w/ Internet
- (2) SLC-152C color weatherproof IR bullet cameras
- (2) SLC-1049C color dome cameras
- (4) 50' video-power cables, power supplies, & mounting hardware

SLM429 Surveillance System w/ DVR

Internet Viewing



- (1) SLD245 Four CH DVR w/ Internet
- (2) SLC-3130 color weatherproof IR bullet cameras
- (2) SLC-1049C color dome cameras
- (2) SLC-100 dummy dome cameras
- (2) surveillance system warning decals
- (5) 50' video-power cables, power supplies, & mounting hardware

SLM432 Surveillance System w/ DVR



SLD245 4 CH DVR w/ Motion Detection & Internet Viewing



Internet Viewing

- View from any PC via web browser
- Half chassis space saving design: 8"W
- 250 GB HD & video motion detection
- Search video by time, event, or camera
- Automatic recovery after a power outage
- Includes software for viewing video on a PC via USB cable

- Same DVR without Internet: SLD244

SL840 40H-1280H Time-Lapse Recorder



- Jog-Shuttle control
- 15 record speeds:
- High resolution: 350 lines BW
- Alarm input/outputs
- Free voltage supply (90-250 VAC)

- Playback & view live video remotely through a web browser
- (1) SLD263 16 CH DVR w/ Internet & 250 GB HD
- (12) SLC-3130 color weatherproof IR bullet cameras
- (4) SLC-1049C color dome cameras
- (4) SLC-100 dummy dome cameras
- (2) surveillance system warning decals
- (16) 50' video-power cables, power supplies, & mounting hardware

Internet Viewing

SLM413C 14" Color CCTV Monitor

- Commercial grade color CRT
- Automatic NTSC/PAL detection
- Audio input
- Free voltage supply (100 - 240VAC)
- Looping audio/video inputs



SLC-153C Hi-Res Color IR Vari-focal Camera

- 540 lines, .001 LUX, 1/3" color CCD
- 4mm-9mm vari-focal adjustable lens
- Auto electronic iris
- (56) built in IR LEDs for superior night vision
- Includes installation kit w/ heavy duty mount



SLC-1049C Color Dome Camera

- Super HAD sensor, .2 LUX, 1/3" CCD
- 3 axis Adjustable pan & tilt
- Compact - only 3.5 (dia) x 2.5" tall
- Auto electronic iris
- Includes installation kit



SLC-115 BW CCTV Camera

- 420 lines, .3 LUX, 1/3" CCD
- Switchable electronic shutter
- Sensitive condenser mic
- 4mm wide-angle lens
- Auto Iris lens jack



SLC-120 Color CCTV Camera

- 420 lines, 1 LUX, 1/3" CCD
- Switchable electronic shutter
- Sensitive condenser mic
- Auto Iris lens jack
- Switchable back light compensation
- Includes installation kit



SLC-131 B/W Waterproof Camera w/ IR

- 400 lines, .001 LUX (IR), 1/3" CCD
- Watertight case to 90' under water
- IR to view in total darkness
- Withstands the harshest environments
- Includes installation kit



SLC-3130 Weatherproof 12 IR Bullet Cam

- 420 lines, 1/4" color CCD
- (12) IR LEDs for night viewing
- 3.6mm wide angle lens
- Auto electronic iris
- Includes installation kit



SLC-160C 22X Optical Zoom Camera

- Optical zoom lens from 4mm to 86mm (22X)
- 420 lines, 1 LUX, 1/3" Super HAD CCD
- Control manually or by RS-485 (DVR)
- Auto electronic iris
- Day night function for low light viewing
- Includes 50' CAT 5 cable, (2) video baluns, & power supply



security labs®

Customer Support 1-800-774-0284

SLC-134C Color Waterproof Camera

- 330 lines, 1 LUX, 1/4" CCD
- Sony Super HAD imager
- 3.6mm wide angle lens
- Watertight case to 90' under water
- Auto electronic iris



VIR50 Video Motion Detector

- Use your existing camera & PIR
- PIR & VMD must agree for alarm output
- Programmable VMD grid
- Programmable sensitivity and velocity
- PIR IN, video IN, alarm OUT



SLC-138C Color Outdoor Day/Night Camera w/ IR

- 380 lines, .001 LUX (IR), 1/3" CCD
- Power conditioned for transit buses
- IR to view in total darkness
- Automatically changes to BW in low light
- Rugged heavy gauge metal housing



SLC-1037 BW Clock Camera

- 420 lines, .3 LUX, 1/3" CCD
- 9" diameter office clock
- Quartz movement w/ second hand
- Extremely covert, even at close range
- Color version: **SLC-1037C**



SLC-1035 BW Covert Camera

- 420 lines, .3 LUX, 1/3" CCD
- 4mm wide-angle lens
- Views at 45 degree angle from ceiling
- Working smoke detector case
- Color version: **SLC-1035C**



SLA40 UTP Video Balun

- Send & receive video up to 1000'
- Passive operation - no power supply
- Common mode rejection of 70dB
- UTP categories 2, 3, 4, 5, 5e
- Kit includes balun, adapter, extension

Best Seller



SLC-151C Color Flush Mount Ball Camera

- 380 lines, .5 LUX, 1/3" CCD
- Sony Super HAD imager
- DSP for excellent clarity
- Protrudes only .5" from ceiling
- Adjustable view w/ wide-angle lens



SLC-128 B/W Miniature CMOS Camera

- 380 lines, 1 LUX, 1/3" CMOS
- Adjustable focus 3.6mm lens
- Auto electronic iris
- Ultra compact - only 1" x .5" x 1"
- Color version: **SLC-128C**



- BW 5mm Pinhole Lens version: **SLC-129**


SLC-1025 B/W Board Camera

- 420 lines, .3 LUX, 1/3" CCD
- Automatic electronic iris
- 3.6mm pin-hole lens
- View through 3/32" hole
- Color version: **SLC-150C** w/ Super HAD imager



SLC-130S B/W Outdoor Bullet Camera

- 360 lines, .4 LUX, 1/3" CCD
- Small profile - easily concealed
- Auto electronic iris w/ AGC
- Wall or ceiling mount
- Includes installation kit
- Black case: **SLC-130B**



SLC-100 Simulated Dome Camera

- Simulated dome camera
- 3.5" (D) x 2" (H)
- Exclusive opaque high gloss design eliminates viewing into empty dome
- Includes mounting hardware



SLC-1041 B/W Mini Dome Camera

- 420 lines, .3 LUX, 1/3" CCD
- Adjustable pan & tilt
- Compact - only 3.25 (dia) x 2.5" tall
- Auto electronic iris
- Includes installation kit



SLC-110 B/W Mini Camera

- 420 lines, .3 LUX, 1/3" CCD
- Small, rugged body
- Sensitive condenser mic
- 4mm wide-angle lens
- Mounts from top or bottom



SLC-137C Color Waterproof IR Camera

- 400 lines, .003 LUX, 1/3" CCD
- Super HAD imager
- 3.6mm wide angle lens
- Watertight case to 90' under water
- Auto electronic iris & 8 IR LED emitters



SLW1010 Video Web Server

Make your current system or camera Internet ready

- Connects to the internet via ethernet jack
- View any camera or video device remotely
- RS485 communications for PTZ camera
- Built in video motion detection can send a notification alarm email; alarm output



Internet Viewing

SLW-162 Internet Camera w/ Motorized Pan & Tilt

- 30 simultaneous users
- Viewable anywhere via a web browser
- Programmable user passwords
- Pan & tilt camera remotely
- Record to your local hard drive
- Built in motion detection can email you activity alerts
- Includes software, mount
- Operates without a computer & requires broadband internet service



Internet Viewing

Camera Extension Cables

- SLA31: Black 50' BNC video & power ext. cable w/ coupler
- SLA32: Black 100' BNC video & power ext. cable w/ coupler
- SLA41: Black 50' BNC video, audio & power ext. cable w/ coupler
- SLA42: Black 100' BNC video, audio & power ext. cable w/ coupler



- Full one year parts & labor warranty on all products
- Lifetime Toll-free customer support line for installers & end users
- All Cameras include lens, power supply, adapters, mount w/ hardware, and video-power cable

security labs®

Customer Support
1-800-774-0284